

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,159,370 B2
APPLICATION NO. : 10/766573
DATED : January 9, 2007
INVENTOR(S) : Oliphant et al.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page item 57

In the Abstract, Line 6, the word "Comer" should read --Corner--.

In the drawings, Sheet 1, Fig. 2, the reference numeral "48" adjacent reference numeral 38 should be --44--.

In the drawings, Sheet 5, Fig. 7, the reference numeral "50" should be --82--.

In Column 5, Line 13, the phrase "Channel 40" should read --Channel 70--.

In Column 6, Line 49, the phrase "panel splicing pieces 100" should read --panel splicing pieces 110--.

In Column 8, Lines 30-31, the phrase "said plurality of corner piece" should read --said plurality of corner pieces--.


In Column 11, Lines 54-55, the phrase "said plurality of corner piece" should read --said plurality of corner pieces--.

Delete title page showing an illustrative figure and substitute therefor the attached title page.

Delete sheets 1 & 5 and substitute therefor the attached sheets 1 & 5.

Signed and Sealed this

Fifteenth Day of January, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office

(12) **United States Patent**
Oliphant et al.

(10) Patent No.: **US 7,159,370 B2**
 (45) Date of Patent: **Jan. 9, 2007**

(54) **MODULAR FIBERGLASS REINFORCED
 POLYMER STRUCTURAL POLE SYSTEM**

(75) Inventors: **Zachary James Oliphant, Tomball, TX
 (US); Garrett William Oliphant,
 Tomball, TX (US)**

(73) Assignee: **RellaPOLE Solutions, Inc., Tomball,
 TX (US)**

(*) Notice: Subject to any disclaimer, the term of this
 patent is extended or adjusted under 35
 U.S.C. 154(b) by 540 days.

(21) Appl. No.: **10/766,573**

(22) Filed: **Jan. 27, 2004**

(65) **Prior Publication Data**
US 2005/0160697 A1 Jul. 28, 2005

(51) Int. Cl.
E04C 3/30 (2006.01)

(52) U.S. Cl. **52/731.4; 52/731.3; 52/732.3**

(58) Field of Classification Search **52/651.01,
 52/651.07, 736.1, 726.3, 726.1, 737.6, 732.3,
 52/732.2, 731.4, 731.3, 586.1, 586.2, 40;
 D25/126; 138/157, 162, 167; 446/111, 117,
 446/122, 124**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

466,012 A	12/1891	Seaman	
999,267 A	8/1911	Slick	
1,967,490 A *	7/1934	White	405/14
2,317,634 A *	4/1943	Olsen	52/242
3,196,990 A	7/1965	Handley	
3,276,182 A	10/1966	Handley	
3,291,437 A	12/1966	Bowden et al.	

3,557,422 A	1/1971	Paff, Jr.	
3,571,991 A	3/1971	Doocy et al.	
3,893,269 A *	7/1975	Nelsson et al.	52/65
4,216,895 A *	8/1980	Holmes	228/178
4,312,162 A	1/1982	Medney	
4,689,930 A *	9/1987	Monchetti	52/277
5,285,613 A	2/1994	Goldsworthy et al.	
5,319,901 A	6/1994	Goldsworthy et al.	
5,617,692 A	4/1997	Johnson et al.	
5,644,888 A	7/1997	Johnson	
5,864,998 A	2/1999	Loomer	
6,032,432 A *	3/2000	Patti	52/732.1
6,094,881 A	8/2000	Lockwood	
6,286,281 B1	9/2001	Johnson	

* cited by examiner

Primary Examiner—Naoko Slack


Assistant Examiner—Jessica Laux

(74) *Attorney, Agent, or Firm*—Crain, Caton & James, P.C.;
 James E. Hudson, III

(57) **ABSTRACT**

This invention is a modular pole assembly comprised of corner pieces and panel members. Panel members are slidably engaged to the corner pieces and are retained in a direction normal to the engagement direction by a track in each slot that nests within a groove in each panel member. Corner pieces may include multiple slots along each side, allowing for multiple layers of panel members along each side, thereby increasing strength and allowing an insulative and structural fill material to be added between panel member layers. The height of the modular pole may be increased by inserting splicing posts between consecutive, adjacent corner members and inserting splicing pieces between co-planar adjacent panel members. The modular nature of the pole assembly provides for simple packaging and shipment of the various components and easy assembly at or near the installation location.

20 Claims, 7 Drawing Sheets



1/7




FIG. 1




FIG. 2

5/7




FIG. 7




FIG. 8